

INDEX MAPS.

T. 15N, R. 1E. 2nd Mer.

	6	6	5-6	5-7	5-7	5-7
9	6 32	5 26	4 22	3 18	2 14	1 5
	32	31	26	22	17	13
9	7 31	8 25	9 21	10 17	11 13	12 4
	30	30	25	21	17	12
8	18 31	17 25	16 20	15 16	14 12	13 4
	29	29	24	20	16	12
8	19 29	20 24	21 20	22 15	23 11	24 4
	28	28	23	19	15	11
8	30 28	29 23	28 19	27 15	26 10	25 3
	27	27	23	18	14	10
7	31 27	32 22	33 18	34 14	35 9	36 3
	1	1	1	2	2	2

T. 16N, R. 1E. 2nd Mer.

39	6 53	5 54	4 51	3 47	2 43	1 37
	60	58	54	50	46	42
39	7 53	8 54	9 50	10 46	11 42	12 36
	60	57	53	50	46	42
38	18 57	17 53	16 49	15 45	14 41	13 36
	60	57	53	49	45	41
38	19 57	20 52	21 48	22 44	23 41	24 36
	59	56	52	48	44	40
38	30 56	29 52	28 48	27 44	26 40	25 35
	59	55	51	47	43	40
37	31 55	32 51	33 47	34 43	35 39	36 35
	33-34	33-34	33-34	33-34	33-34	33-35

⌈ The figures on the lines refer to the page.

Township N. 15 North, Range N. 1 East T. Mer. Indiana

South Boundary

East On S. boundary of Sec. 31, T15 N. R1 E

1.13 At the gr. Sec. post, from which
a Beech 9 in. dia. bears N 87° W 11 lbs. dist. of
an Elm 18 " " " N 18 E 12 " "

36.63 a Branch 8 lbs. wide Ct. S. E.

41.13 At a post Cor. to Sec. 31 & 32, T15 N. R1 E, from which
a Sugar 7 in. dia. bears N 71° W 6 lbs. dist. of
a do 15 " " " N 13 E 11 " "
Rolling land, timber Beech, Sugar, ash, Elm
undergrowth, Spice Soil good

East On S. boundary of Sec. 32, T15 N. R1 E

5.55 an Elm 9 in. dia. in the line

40.00 At the gr. Sec. post, from which
an Elm 12 in. dia. bears N 31° W 11 lbs. dist. of
a Sycamore 30 " " " N 49 E 18 " "

42.00 an Elm 9 " " in the line

43.00 a Brook 60 lbs. wide Ct. S. W.

48.10 a Branch 4 " " " S. W.

80.00 At a post Cor. to Sec. 32 & 33, T15 N. R1 E, from which
an Ironwood 6 in. dia. bears N 28° W 37 lbs. dist. of
a Beech 15 " " " N 8 E 19 " "
Level land, timber Beech, Sugar, Sycamore etc.
undergth. Spice, Hickory ash etc. rich Soil

East On S. boundary of Sec. 33, T15 N. R1 E.

4.00 a Beech 10 in. dia. in the line

20.50 a Branch 7 lbs. wide Ct. S. E.

40.00 At the gr. Sec. post, from which
a Sugar 18 in. dia. bears N 59° W 8 lbs. dist. of
a do 10 " " " N 56 E 32 " "

44.40 a Hickory 21 " " in the line

T15 N R1 E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 33 & 34, T15 N, R1 E, from which
 a Poplar 30 m. diam. bears S24°W24 lbs. dist. of
 a Beech 7 " " " S22°W29 " "
 Level land, timber, Beech, Sugar, Ash, Poplar &
 undergth Spice, Ash, &c. Soil good.

East On S. boundary of Sec. 34, T15 N, R1 E.

5.40 a P. Oak 40 m. diam. in the line

40.00 Set the q. Sec. post, from which
 a Beech 9 m. diam. bears N69°W3 lbs. dist. of
 a Hickory 21 " " " N56°E20 " "

46.05 at Beech 12 " " in the line

80.00 Set a post Cor. to Sec. 34 & 35, T15 N, R1 E, from which
 a Sugar 18 m. diam. bears S67°E25 lbs. dist. of
 a Box Ash 24 " " " N81°W15 " "
 Rolling land, timber Beech, Ash, Sugar, Walnut,
 &c. undergth Spice, Buckeye &c. Rich Soil

East On S. boundary of Sec. 35, T15 N, R1 E.

2.85 a Sugar 10 m. diam. in the line

15.00 a Branch 75 lbs. wide C. S. E.

40.00 Set q. Sec. post, from which
 a Water Beech 9 m. diam. bears S37°E15 lbs. dist. of
 a Sugar 18 " " " N4°W24 " "

42.90 an Iron? 9 " " in the line

80.00 Set a post Cor. to Sec. 35 & 36, T15 N, R1 E, from which
 a Buckeye 15 m. diam. bears S28°E15 lbs. dist. of
 a Sugar 20 " " " N21°E7 " "
 Rolling land, timber, Sugar, Beech, Hickory &c
 undergth Spice, Buckeye &c. Rich Soil.

East On S. boundary of Sec. 36, T15 N, R1 E.

2.50 a Branch 15 lbs. wide C. S. W.

T15 N. R1 E. 2^d. Mer. Indiana

4.85 a Buckeye 12 m. dist. in the line
 39.00 a Branch 6 lks. wide C. S. W.
 40.00 At the q. Sec. post, from which
 a dogwood 6 m. dist. bear S 20° W 7 lks. dist. of
 a Sugar 15 " " " N 60° E 15 " "
 46.25 an Ash 18 " " in the line
 65.10 a Branch 5 lks. wide C. S. W.
 80.00 to Lower Corner. Level land, timber Sugar,
 Ash, Beech &c. underg^d. Spruce &c.

East Boundary cov. 6.10' E
 North On E. boundary of Sec. 36, T15 N. R1 E.
 22.00 an Oak 24 m. dist. in the line
 40.00 At the q. Sec. post, from which
 a Beech 10 m. dist. bear N 17° W 32 lks. dist. of
 a No 13 " " " N 43° E 18 " "
 56.75 a Hickory 18 " " in the line
 77.00 a Brook 10 lks. wide C. S. E.
 80.00 At a post Cor. to Sect. 25 & 36, T15 N. R1 E, from which
 a Buckeye 8 m. dist. bear S 34° W 14 lks. dist. of
 a Sugar 10 " " " N 32° E 22 " "
 Over level land, timber, Hickory, Oak &c.

North On E. boundary of Sec. 25, T15 N. R1 E.
 21.85 a Beech 15 m. dist. in the line
 40.00 At the q. Sec. post, from which
 an Elm 20 m. dist. bear S 8° E 51 lks. dist. of
 a Hornbeam 7 " " " N 36° W 10 " "
 62.24 a Hickory 24 " " in the line
 80.00 At a post Cor. to Sect. 24 & 25, T15 N. R1 E, from which
 a Cherry 12 m. dist. bear N 43° W 25 lks. dist. of
 a Hickory 14 " " " S 47° E 32 " "
 Over good farming land, timber same as last mile.

T15 N. R1 E. 2^d. Mer. Indiana

North On E. boundary of Sec. 24, T15 N. R1 E.
25.95 at Beech 16 m. dist. in the line

40.00 Set a post, for q. Sec. Cor. from which
an Oak 6 m. dist. bears S 27° W 18 lks. dist. of
an Ash 10 " " " N 42° E 25 " "

55.80 another 12 " " in the line

80.00 Set a post Cor. to Sec. 13 & 24, T15 N. R1 E, from which
a Beech 24 m. dist. bears N 28° W 32 lks. dist. of
a — 18 " " " N 78° E 12 " "
Over land timber same as on the last mile

North On E. boundary of Sec. 13, T15 N. R1 E.

35.00 a Spanish Oak 24 m. dist. in the line

40.00 Set the q. Sec. post, from which
a Beech 9 m. dist. bears East 10 lks. dist. of
a Sugar 10 " " " N 45° W 9 " "

45.45 a Beech 14 " " in the line

80.00 Set a post Cor. to Sec. 12 & 13, T15 N. R1 E, from which
a Beech 12 m. dist. bears S 28° E 13 lks. dist. of
a Elm 16 " " " N 33° W 7 " "
Over land timber fr. same as on the last mile

North On E. boundary of Sec. 12, T15 N. R1 E.

15.35 a Beech 13 m. dist. in the line

40.00 Set the q. Sec. post, from which
a Beech 9 m. dist. bears S 19° E 27 lks. dist. of
a Elm 15 " " " N 45° W 6 " "

66.30 a Beech 14 " " in the line

80.00 Set a post Cor. to Sec. 11 & 12, T15 N. R1 E, from which
a Hornbeam 6 m. dist. bears S 9° E 25 lks. dist. of
an Ash 18 " " " N 9° W 17 " "
Over land timber, same as on the last mile

5

T15N R1E, 2^d. Mer. Indiana

North On E. boundary of Sec. 1, T15N, R1E.

40.00 At the q. Sec. post, from which
a Beech 13 in. dia. tr. 137 ft. 11 in. dist. of
a — 8 " " " N54E54 " "

40.30 a Spruce 18 " " in the line

81.71 Set a post Cor. to Township N. 15 & 16 North, Range
1 & 2 East, from which
a Beech 8 in. dia. tr. N54E8 ft. dist. of
an Ash 20 " " " N20W6 " "
Over land &c. as on the last mile.

North Boundary

West 1st mile On Random between Towns 15 & 16 N. R1E.

40.00 At temp. q. Sec. post

80.00 At temp. 1/4 mile post

Over land, timber Oak, Beech &c.

West 2nd mile On Rand^m, between Towns 15 & 16 N. R1E.

40.00 At temp. q. Sec. post

54.50 a Brook 10 ft. wide C.S.

80.00 At temp. 1/4 mile post

Over land & timber same as on the last mile

West 3rd mile On Rand^m, between Towns 15 & 16 N. R1E.

40.00 At temp. q. Sec. post

56.00 a Brook 10 ft. wide C.S.

79.50 a Creek 50 " " " S.W.

80.00 At temp. 1/4 mile post.

Land, timber &c. same as on the last mile

West On 4th mile Rand^m, betwⁿ Towns 15 & 16 N. R1E.

40.00 At temp. q. Sec. post

80.00 At temp. 1/4 mile post. Over land & timber as before.

T15 N. R1E. 2^d Mer. Indiana

West 5th mile on Rand^m between Towns 15 & 16 N. R1E.

19.00 a Brook 10 lks. wide C. S.

26.00 a Creek 30 " " " S. E.

40.00 let temp^y. q^r. Sec. post

80.00 let temp^y. mile (mile post)

Over land & timber same as on the last mile

West 6th mile on Rand^m between Towns 15 & 16 N. R1E.

23.00 a Brook 10 lks. wide C. S. E.

40.00 let temp^y. q^r. Sec. post

45.00 intersected the 2^d Mer. 166 lks. N. of the Cor.

Land, timber &c. same as on the last mile

East On S. boundary of Sec. 31, T16 N. R1E.

5.00 let the q^r. Sec. post on true line, from which
a Beech 8 mi. dist. bearing N40 E 2 lks. dist. of
a Spruce 14 " " " N40 E 27 " "

45.00 let a post Cor. Sec. 31 & 32, T16 N. R1E. from which
a Beech 24 mi. dist. bearing N78 E 18 lks. dist. of
a Sugar 10 " " " N23 W 7 " "

East On S. boundary of Sec. 32, T16 N. R1E.

40.00 let the q^r. Sec. post, from which

a Hickory 12 mi. dist. bearing N52 E 26 lks. dist. of
a Do 10 " " " N52 W 22 " "

80.00 let a post Cor. to Sec. 32 & 33, T16 N. R1E. from which
a Beech 12 mi. dist. bearing N51 E 15 lks. dist. of
a Hickory 20 " " " N51 W 20 " "

East On S. boundary of Sec. 33, T16 N. R1E.

40.00 let the q^r. Sec. post, from which

a Walnut 30 mi. dist. bearing N37 E 33 lks. dist. of
a Sugar 14 " " " N6 E 21 " "

7
T15 N - R1 E, 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 33 & 34, T16 N, R1 E, from which
a Lycamore 20 m. dist. bears N45 W 53 lbs. dist
and no more convenient.

East On S. boundary of Sec. 34, T16 N, R1 E.

40.00 Set the q. Sec. post on true line, from which
a Sugar 6 m. dist. bears N24 E 3 lbs. dist. of
a Beech 6 " " " N21 W 15 " "

80.00 Set a post Cor. to Sec. 34 & 35, T16 N, R1 E, from which
a Beech 10 m. dist. bears N84 E 18 lbs. dist. of
a Elm 12 " " " S22 W 17 " "

East On S. boundary of Sec. 35, T16, N, R1 E.

40.00 Set q. Sec. post on true line from which
a Sugar 10 m. dist. bears N20 E 19 lbs. dist. of
a Beech 18 " " " S45 W 29 " "

80.00 Set a post Cor. to Sec. 36 & 35, T16 N, R1 E, from which
a Hickory 18 m. dist. bears N35 W 13 lbs. dist. of
a Beech 12 " " " S24 E 12 " "

East On S. boundary of Sec. 36, T16 N, R1 E.

40.00 Set the q. Sec. post on true line, from which
a Beech 12 m. dist. bears S62 E 22 lbs. dist. of
a Elm 10 " " " N50 W 25 " "

80.00 Intersected at the Town Corner. Aug. 12, 1819
Surveyed by John McDonald, Jr. Sur.

West Boundary or 2^d Principal Meridian
Variation 5.55 E.

North On E. boundary of Sec. 36, T15 N, R1 W

40.00 Set the q. Sec. post, from which
a Buckeye 12 m. dist. bears South 10 lbs. dist. of
an Elm 10 " " " N68 W 31 " "

T15 N. R1 E, T^h. Mer. Indiana

- 44.00 a Creek 20 lks. wide C.P. S. E.
 80.00 Set a post Cor. to Sec. 25 & 36, T15 N. R1 W, from which
 a Hackberry 9 mi. dist. bear N 69 E 16 lks. dist. of
 a Sugar 18 " " " N 24 W 28 " "
 Land some rolling, Beech, Sugar, Ash, Elm &c.
 Good farming land.

North On E. boundary of Sec. 25, T15 N. R1 W

- 2.00 a Brook 20 lks. wide C.P. S. E.
 8.00 a Creek 70 " " " East
 28.00 a Creek 15 " " " S. E.
 40.00 Set the q. Sec. post, from which
 an Ironw. P. 6 mi. dist. bear South 10 lks. dist. of
 a Beech 44 " " " N 81 E 44 " "
 80.00 Set a post Cor. to Sec. 24 & 25, T15 N. R1 W, from which
 a W. Ash 24 mi. dist. bear S 41 E 28 lks. dist. of
 a Beech 15 " " " S 3 W 30 " "
 Land timber &c. Same as on the last mile

North On E. boundary of Sec. 24, T15 N. R1 W

- 40.00 a creek 20 lks. C.P. S. E.
 40.00 Set the q. Sec. post, from which
 an Elm 18 mi. dist. bear S 81 W 39 lks. dist. of
 an Ironw. P. 9 " " " N 27 E 44 " "
 80.00 Set a post Cor. to Sec. 13 & 24, T15 N. R1 W, from which
 a Beech 12 mi. dist. bear S 19 E 25 lks. dist. of
 a Do 27 " " " N 38 W 10 " "
 Land timber &c. Same as on the last mile

North On E. boundary of Sec. 13, T15 N. R1 W

- 20.00 a Brook 10 lks. wide C.P. W.
 40.00 Set the q. Sec. post, from which
 a Sugar 18 mi. dist. bear S 52 W 12 lks. dist. of

T¹⁵N. R¹E, 2^d. Mer. Indiana

a Beech 9 m. dist. from N⁸¹E 26th, dist. of
 58.00 a Brook 10th, wide C. E.
 80.00 Let a post Cor. to Sec. 12 & 13, T¹⁵N. R¹E, from which
 a Beech 14 m. dist. from S⁷⁵E 11th, dist. of
 a Do 9 " " " N¹³W 12 " "
 Land 2^d rate, Beech, Sugar, Ash &c.

North On E. boundary of Sec. 12, T¹⁵N. R¹E.
 20.00 a Brook 8th, wide C. E.
 40.00 Let the q^r. Sec. post, from which
 a — — in. dist. from S⁶⁰W 12th, dist. of
 a Beech 8 " " " N⁴³E 23 " "
 80.00 Let a post Cor. to Sec. 14 & 12, T¹⁵N. R¹E, from which
 a W. Oak 27 m. dist. from S²⁵W 16th, dist. of
 a Sugar 12 " " " N¹⁴E 29 " "
 Land, timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T¹⁵N. R¹W
 40.00 Let the q^r. Sec. post, from which
 a Sugar 12 m. dist. from S⁴⁰E 24th, dist. of
 a Beech 12 " " " N⁵⁴E 27 " "
 84.40 Let a post Cor. to Townships N¹⁵& 16 North &
 Range 1 East & 1 West, from which
 a W. Beech 9 m. dist. from N⁶³W 3th, dist. of
 a Beech 12 " " " S³³E 40 " "
 August 6th. 1819
 Surveyed by William Harris, Dep. Sur.

Subdivision.

North Between Sec. 35 & 36, T¹⁵N. R¹E.
 00.07 a Spring branch C. S. E.
 19.04 a Beech 24 m. dist. in the line
 40.00 Let the q^r. Sec. post, from which

T15 N. R1 E, T². Mer. Indiana

a W. Oak 24 in. diam. bran N68 W 27 lks. dist. of
 a B. Walnut 30 " " " N66 E 20 " "
 41.57 a Brook 3 lks. wide C.S.E.
 47.82 a Slo 3 " " " S.W.
 68.25 a Hickory 8 in. diam. in the line
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
 a Beech 18 in. diam. bran N20 W 16 lks. dist. of
 a Slo 6 " " " N56 E 5 " "
 1st 1/2 mile level of rich - 2nd 1/2 mile level 2nd rate
 timber Sugar, Ash, Walnut, W. Oak &c undg. ^{the} Spruce

East On Random between Sec. 25 & 36, T15 N. R1 E.
 27.77 a Brook 8 lks. wide C.S.E.
 40.00 Set temp. of. Sec. post
 80.00 a Brook 3 lks. wide C.S.E.
 80.96 Intersected the E. boundary 47 lks. S. of the post.
 Land level 2nd rate, timber Sugar, Beech, W. Oak
 Hickory &c. undg. ^{the} Spruce &c.

West On true line between Sec. 25 & 36, T15 N. R1 E.
 40.48 1/2 Set of. Sec. post at ar. dist. on true line from which
 a Beech 15 in. diam. bran N60 W 16 lks. dist. of
 a Hickory 24 " " " N85 E 2 " "
 80.96 to Sec. Corner.

North Between Sec. 25 & 26, T15 N. R1 E.
 18.32 a W. Oak 36 in. diam. in the line
 40.00 Set the of. Sec. post, from which
 a B. Oak 24 in. diam. bran N47 E 9 lks. dist. of
 a Beech 12 " " " N85 E 40 " "
 57.44 a Sugar 10 " " in the line
 80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
 a Beech 18 in. diam. bran N75 E 20 lks. dist. of

T15 N. R1 E. 2nd Mer. Indiana

a Beech 24 in. dia., bray N70W40 lks. dist.
 1st 1/2 mile level 2nd rate timber Sugar, Beech, W. Oak
 Hickory &c. undng. th Spruce &c.

East On/Random between Sec. 24 & 25, T15 N. R1 E.

9.09 a Brook 10 lks. wide C. S.
 33.75 a do 3 " " " S. W.
 40.00 at trap of gr. Sec. post
 81.04 intersected the E. boundary 15 lks. S. of post.
 Level 2nd rate, timber W. Oak, Beech, Hickory
 Sugar &c. undng. th Spruce &c

West On true line between Sec. 24 & 25, T15 N. R1 E.

40.52 at gr. Sec. post, at av. J. dist. on true line, from which
 a Beech 30 in. dia., bray S35E9 lks. dist. of
 a W. Oak 10 " " " N16W25 " "
 81.04 to Sec. Cor.

North Between Sec. 23 & 24, Town 15 N. R1 E.

16.33 an Aspen 8 in. dia., in the line
 20.30 a Brook 4 lks. wide C. S. E.
 27.20 a do 4 " " " S. W.
 40.00 at the gr. Sec. from which
 a W. Oak 18 in. dia., bray N43W13 lks. dist. of
 a Hickory 8 " " " S20E18 " "
 59.24 an Aspen 24 " " in the line
 61.56 a Brook 4 lks. wide C. S. E.
 80.00 at a post Cor. to Sec. 13, 14, 23 & 24 from which
 a Beech 24 in. dia., bray N33E24 lks. dist.
 a do 12 " " " S20W17 " "
 1st 1/2 mile level 2nd rate 2nd 1/2 mile same
 timber Sugar, Beech, W. Oak &c. undng. th Spruce &c.

15th R1 E. 2^d. Mer. Indiana

East On Rand^m between Sec. 13 & 24, 15th R1 E.

40.00 at temp^y. g^r. Sec. post

65.25 at Brook 3 lks. wide C. S. W.

75.76 a dlo 5 " " " S. W.

81.10 Intersected the E. boundary 68 lks. S. of post.

Land level good 2^d rate, timber Sugar, Beech,
W. Oak, Ash &c. underg^d. Spice.

West On true line between Sec. 13 & 24, 15th R1 E.

40.55 Set g^r. Sec. post at av^g. dist, on true line, from which

a Beech 24 m. dia. bears N 15 E 9 lks. dist. of

a W. Ash 18 " " " S 23 E 17 " "

81.10 to Sec. Cor. (March 22^d. 1821)

North Between Sec. 13 & 14, 15th R1 E. 2^d. Mer.

17.23 at Beech 12 m. dia. on the line

37.82 at Brook 4 lks. wide C. S. W.

39.25 a dlo 4 " " " S. E.

40.00 Set the g^r. Sec. post, from which

a Beech 10 m. dia. bears N 78 W 40 lks. dist. of

a dlo 16 " " " N 46 E 28 " "

41.00 at Brook 4 lks. wide C. S. W.

59.90 a Beech 24 m. dia. on the line

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14 from which

a Hornbeam 10 m. dia. bears S 32 E 25 lks. dist. of

a Blue Ash 18 " " " S 31 W 24 " "

Land level good 2^d rate, timber Sugar, Beech,
W. Oak &c. underg^d. Spice &c.

East On Rand^m betwⁿ Sec. 12 & 13, 15th R1 E.

7.25 at Brook 6 lks. wide C. S. W.

40.00 Set temp^y. g^r. Sec. post

81.04 Intersected the E. boundary 160 lks. S. of post.

T15 St. R1 E. 2^d. Mer. Indiana

Land level good 2^d rate, timber Sugar, Beech
W. Oak, Ash, Hickory &c. undugth, Spruce &c.

West On true line between Sec. 1, 12 & 13, T15 St. R1 E.
40.52 At q. Sec. post, at av. 9. dist. on true line from which
a Beech 12 m. diam. bear N 38 E 9 lks. dist. of
a do 8 " " " S 7 E 42 " "
81.04 to Sec. Cor.

North Between Sec. 1, 11 & 12, T15 St. R1 E. 2^d. Mer.
17.65 a Sugar 20 m. diam. in the line
40.00 At the q. Sec. post, from which
a Beech 6 m. diam. bear N 17 E 9 lks. dist. of
a do 20 " " " S 87 W 5 " "
62.49 a Beech 24 " " in the line
80.00 At a post Cor. to Sec. 1, 2, 11 & 12, from which
a Hickory 10 m. diam. bear S 9 W 17 lks. dist. of
a do 12 " " " N 65 E 3 " "
Land level good 2^d rate, timber Sugar, Beech,
W. Oak, Ash, &c. undugth, Spruce &c.

East On Random between Sec. 1, 11 & 12, T15 St. R1 E.
40.00 At temp. q. Sec. post
81.14 Intersected the E. boundary 149 lks. S. of post.
Land level 2^d rate, timber Sugar, Beech, W.
Oak, Ash &c. undugth, Spruce &c.

West On true line between Sec. 1, 11 & 12, T15 St. R1 E.
40.57 At q. Sec. post at av. 9. dist. on true line, from which
a B. Ash 16 m. diam. bear S 8 W 24 lks. dist. of
a Hickory 14 " " " N 63 W 26 lks. dist
81.14 to Sec. Corner.

T15 N. R1 E. T^h. Mer. Indiana

North Between Secs. 1 & 2, T15 N. R1 E. T^h. Mer.
 21.75 a Beech 18 in. dia. in the line
 40.00 At the q. Sec. post from which
 a Sugar 24 in. dia. bears N 59° W 20 lbs. dist. 8
 a Do 18 " " " S 59° W 4 " "
 72.18 a Lyrus 20 " " in the line
 80.80 Intersected the N. boundary 18 lbs. W. of post, &
 at a post Cor. to Sec. 1 & 2, from which
 a Hickory 22 in. dia. bears N 45° E 8 lbs. dist. 8
 a Beech 5 " " " S 79° W 4 " "
 Land T^h. rate level, timber Sugar, Beech, W. Oak
 Ash &c. undug, th. Spruce &c.

North Between Secs. 34 & 35, T15 N. R1 E.
 21.18 a Lyncamore 20 in. dia. in the line
 24.00 a White lick Creek 100 lbs. wide C.S.E.
 40.00 At the q. Sec. post, from which
 a Coffinut 20 in. dia. bears N 41° W 28 lbs. dist. 8
 a Buckeye 12 " " " N 34° W 22 " "
 57.72 a Beech 16 " " in the line
 80.00 At a post Cor. to Secs. 26, 27, 34 & 35, from which
 a W. Oak 20 in. dia. bears N 10° W 30 lbs. dist. 8
 a Hickory 10 " " " N 52° W 26 " "
 1st 1/2 mile level (rich bottom) 1st rate - 2nd 1/2 mile
 level good 2nd rate, timber, Walnut, Hackberry, Ash
 Sugar, Beech, W. Oak &c. undug, th. Spruce &c.

East Out Random between Secs. 26 & 35, T15 N. R1 E.
 40.00 At temp. q. Sec. post
 80.00 Intersected the N. & S. line, 150 lbs. S. of the post.
 Land level 2nd rate, timber Sugar, Beech, W. Oak
 &c. undug, growth. Spruce &c.

T15 N. R1E. 2^d. Mer. Indiana

West On true line between Sec. 26 & 35, T15 N. R1E.
 40.00 Set of Sec. post at a 9th dist. from which
 a Sugar 8 in. dia. br. N65 E 26 lks. dist. of
 a Hickory 10 " " " N84 W 16 " "
 80.00 to Section Corner.

North Between Sec. 26 & 27, T15 N. R1E. 2^d. Mer.
 19.31 at Brook 3 lks. wide C.S.M.
 25.27 a W. Oak 24 in. dia. in the line
 40.00 Set the 9th Sec. post, from which
 a Beech 8 in. dia. br. N77 W 31 lks. dist. of
 a do 6 " " " N87 E 16 " "
 57.78 a Beech 12 " " in the line
 80.00 Set a post cor. to Sec. 22, 23, 26, 27, from which
 a Beech 14 in. dia. br. N83 W 16 lks. dist. of
 a do 15 " " " N23 E 4 " "
 Land level good 2^d rate, timber Sugar, Beech
 W. Oak &c. mndgth Spruce &c.

East On Random between Sec. 23 & 26, T15 N. R1E
 40.00 Set temporary 9th Sec. post
 80.03 Intersected the N.S. line 149 lks. S. of post
 Level 2^d rate land, timber Beech, Sugar, W. Oak
 &c. mndgth Spruce &c.

West On true line betw. Sec. 23 & 26, T15 N. R1E.
 40.07 1/2 Set 9th Sec. post at a 9th dist. from which
 a Spruce 15 in. dia. br. N85 E 16 lks. dist. of
 a Beech 20 " " " N77 W 31 " "
 80.03 to Sec. Corner.

North Between Sec. 22 & 23, T15 N. R1E.
 20.85 an aspen 22 in. dia. in the line

T⁵ St. P. & E. I². Mer. Indiana

- 40.00 Let the g^r. Sec. post, from which
a Oak 18 m. dist. by N 44 E 10 lks. dist. of
an Aspen 14 " " " S 50 W 8 " "
- 60.24 an Aspen 24 " " in the line
- 80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which
a Hickory 14 m. dist. by N 24 W 13 lks. dist. of
a Beech 10 " " " S 88 E 16 " "
- 1st of level 2nd rate, 2nd of 1 mile same, timber Sugar
Beech, Aspen, W. Oak &c many ^{sp} species &c.

East On Random between Sec. 14 & 23, T⁵ St. P. & E.

- 40.00 Let temp^y. g^r. Sec. post
- 63.30 a Brook 4 lks. wide C. S. W.
- 80.06 Intersected the N & S. line 147 lks. S. of the post.
Land level 2nd rate, timber Sugar, Beech, W. Oak
&c &c. many ^{sp} species &c.

West On true line, between Sec. 14 & 23, T⁵ St. P. & E.

- 40.03 Let g^r. Sec. post at ang. dist. on true line, from which
a Beech 12 m. dist. by N 31 E 17 lks. dist. of
a Sugar 14 " " " S 15 W 16 " "
- 80.06 to Sec. Corner.

North Between Sec. 14 & 15, T⁵ St. P. & E. I². Mer.

- 19.69 a Hickory 20 m. dist. in the line
- 40.00 Let the g^r. Sec. post, from which
a Sugar 10 m. dist. by N 67 E 20 lks. dist. of
a Beech 8 " " " S 59 W 21 " "
- 55.48 a Beech 24 " " in the line
- 78.72 a Brook 6 lks. wide C. S. W.
- 80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which
a Sugar 24 m. dist. by N 10 W 33 lks. dist. of
a Beech 20 " " " S 38 E 28 " "

17

T15 N. R1 E. T^h. Mer. Indiana

Land level T^h. rate, timber Beech, Sugar, Ash,
Oak &c. undergth. Spruce &c

East On Rand^m. between Sec. 1. N. & 14, T15 N. R1 E.

0.65 a Brook 6 lks. wide C.P. S.W.

40.00 Set temp^y. q^r. Sec. post

80.12 Intersected the N & S. line 150 lks. S. of the post.
Land level T^h. rate, timber as on the last mile

West On true line between Sec. 1. N. & 14, T15 N. R1 E

40.06 Set q^r. Sec. post at eq^d. dist. on true line from which
a Beech 10 mi. dist. bears N 63° W 22 lks. dist. to
a clo 9 " " " N 27° W 18 " "

80.12 to Sec. Corner.

North Between Sec. 1. 10 & 11, T15 N. R1 E. T^h. Mer.

18.80 a Sugar 14 mi. dist. on the line

40.00 Set the q^r. Sec. post, from which

a P. Ash 6 mi. dist. bears N 46° E 23 lks. dist. to

a clo 6 " " " N 74° W 20 " "

47.64 a Brook 6 lks. wide C.P. West

55.00 a Beech 16 mi. dist. on the line

80.00 Set a post Cor. to Sec. 1, 2, 3, 10, 11 from which

a Beech 8 mi. dist. bears N 34° W 4 lks. dist. to

a Sugar 20 " " " N 57° E 32 " "

Good level farming land, timber, Beech, Sugar, Ash &c
undergth. Spruce &c.

East On Rand^m. between Sec. 2 & 11, T15 N. R1 E

40.00 Set temp^y. q^r. Sec. post

42.00 a Brook 4 lks. wide C.P. S.W.

80.08 Intersected the N & S. line 159 lks. S. of the post

Land level T^h. rate, timber same as last mile

T15 N. R1 E. 2^d Mer. Indiana

West On true line between Sec. 2 & 11, T15 N. R1 E.
 40.04 Set qt. Sec. post at av. g. dist. on true line, from which
 a Beech 16 in. dia. brans S12°W 11 lks. dist. &
 a Do 11 " " " N80°W 25 " "
 80.08 to Sec. Cor.

North Between Sec. 2 & 3, T15 N. R1 E.
 18.32 a Beech 12 in. dia. in the line
 27.45 a Brook 10 lks. wide C.S.W.
 40.00 Set the qt. Sec. post, from which
 a Red Elm 16 in. dia. brans S10°W 25 lks. dist. &
 a Beech 6 " " " East 23 " "
 56.56 a Cherry tree 18 " " in the line
 80.00 Intersected the N. boundary 6 lks. E. of the post,
 Set a post Cor. to Sec. 2 & 3, T15 N. R1 E. from which
 a Beech 12 in. dia. brans S27°E 7 lks. dist. &
 a Sugar 10 " " " N27°W 31 " "
 Land & timber, same as on last mile. March 28th 1821

North Between Sec. 33 & 34, T15 N. R1 E.
 27.07 a Hickory 14 in. dia. in the line
 40.00 Set the qt. Sec. post, from which
 a Beech 16 in. dia. brans S62°W 25 lks. dist. &
 a Do 6 " " " S71°E 13 " "
 58.65 a W. Oak 24 " " in the line
 80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which
 a W. Oak 28 in. dia. brans S21°W 17 lks. dist. &
 a Spruce 12 " " " N74°W 30 " "
 Land level 2^d rate; timber Beech, Sugar, Ash, Oak,
 Hickory &c. undergth, Spruce &c

East On Rand^m betwⁿ Sec. 27 & 34, T15 N. R1 E.
 37.30 a stream 100 lks. wide C.S.E.

19

T5 N. R1 E. 2nd Mer. Indiana

40.00 Let temp. g. Sec. post
 80.74 Intersected the N & S. line 148 lks. S. of the post
 Land part rolling & broken & part level & rich bottom
 timber, Ash, Walnut, Sugar, Oak &c.

West On true line between Sec. 27 & 34, T5 N. R1 E.
 40.37 Let g. Sec. post at av. dist. on true line from which
 a Red Bud 10 in. diam. bran 147 W 3 lks. dist. of
 a do 8 " " " N18 E 28 " "
 80.74 to Sec. Cor.

North Between Sec. 27 & 28, T5 N. R1 E.
 26.08 a Hackberry 10 in. diam. in the line
 40.00 Let the g. Sec. post from which
 a Beech 10 in. diam. bran N65 W 20 lks. dist. of
 a do 20 " " " South 36 " "
 74.93 a Post Oak 36 " " in the line
 80.00 Let a post Cor. to Sec. 21, 22, 27, 28, from which
 a Beech 20 in. diam. bran N71 E 23 lks. dist. of
 a do 24 " " " N56 W 26 " "
 Land 1/2 mile level - 2nd of rolling & broken 2nd rate
 timber same as on the last mile.

East On Rand. betw. Sec. 22 & 27, T5 N. R1 E.
 3.70 a Brook 100 lks. wide C. S. W
 40.00 Let temp. g. Sec. post
 80.78 Intersected the N & S line 146 lks. S. of the post
 1st of mile rich bottom - 2nd of mile level 2nd rate
 timber same as on the last mile

West On true line between Sec. 22 & 27, T5 N. R1 E.
 40.39 Let g. Sec. post at av. dist. from which
 a Beech 10 in. diam. bran 15 W 20 lks. dist. of

T15 N. R1 E. 2^d. Mer. Indiana

a Sugar 14 in. dia. bray N16 W 19 lks. dist.
80.78 to Sec. Corner.

North Between Secs. 21 & 22, T15 N. R1 E. 2^d. Mer.

32.00 a Elm Oak 26 in. dia. with the line

36.70 a Brook 100 lks. wide Cr. S. E.

40.00 at the gr. Sec. post, from which

a Sycamore 30 in. dia. bray N55 W 23 lks. dist. &

a No 36 " " " N40 E 26 " "

59.55 a Sugar tree 10 " " with the line

80.00 at a post Cor. to Secs. 15, 16, 21 & 22, from which

a Beech 10 in. dia. bray N89 E 10 lks. dist. &

an Iron? 6 " " " N13 W 26 " "

1st 1/2 mile rich bottom 2^d 1/2 mile part bottom of
part rolling, timber W. B. Walnut, Blue Ash, Hickory &c.

East On Rand. between Secs. 15 & 22, T15 N. R1 E.

40.00 at temp. gr. Sec. post

80.72 intersected the N. & S. line 15 lks. S. of the post

1st 1/2 mile part rolling & 2^d rate 2^d 1/2 mile level
timber Beech, Sugar, Ash, Oak, and gr. Spruce &c.

West On true line between Secs. 15 & 22, T15 N. R1 E.

40.36 at gr. Sec. post at av. dist. on true line, from which

a Beech 10 in. dia. bray N29 W 19 lks. dist. &

a Sugar 6 " " " N84 E 17 " "

80.72 to Sec. Cor. March 29th 1821.

North Between Secs. 15 & 16, T15 N. R1 E. 2^d. Mer.

32.54 a Beech 10 in. dia. with the line

40.00 at the gr. Sec. post, from which

a Walnut 30 in. dia. bray S21 W 24 lks. dist. &

a Sugar 28 " " " N17 W 27 " "

T15 N. R1 E. 2nd Mer. Indiana

21

59.55 a Walnut 24 in. dia. in the line
 65.66 a Brook 100 lks. wide C.P.S.W.
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Hackberry 6 in. dia. branch N 68 W 16 lks. dist. to
 a Walnut 6 " " " S 71 E 33 " "
 1st 1/2 mile rolling, good farming land - 2nd 1/2 mile
 same, timber Beech, Sugar, Ash, Oak, B.M. Walnut &c

East Out Crossover between Sec. 10 & 15, T15 N. R1 E.

4.13 a Brook 100 lks. wide C.P.S.W.
 40.00 Set temp. q. Sec. post
 80.78 Intersected the st. & d. line 153 lks. S. of the post
 Land timber &c. Same as on the last mile

West On true line between Sec. 10 & 15, T15 N. R1 E.

40.39 Set q. Sec. post at av. dist. from which
 a Beech 12 in. dia. branch N 45 W 4 lks. dist. to
 a Do 10 " " " S 54 E 23 " "
 80.78 to Sec. Corner.

North Between Sec. 9 & 10, T15 N. R1 E. 2nd Mer.

18.34 an Elm 18 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 an Elm 28 in. dia. branch N 44 W 19 lks. dist. to
 a Buckeye 6 " " " S 60 E 12 " "
 55.32 a Buckeye 14 " " in the line
 63.20 a Brook 100 lks. wide C.P.S.E.
 80.00 Set a post Cor. to Sec. 3, 4, 9, 10, from which
 a Buckeye 10 in. dia. branch S 7 E 16 lks. dist. to
 a Do 10 " " " N 7 W 11 " "
 Land rich bottom, timber B.M. Walnut, Sugar, ash,
 Oak & Hackberry.

T15 N R1 E. 2^d. Mer. Indiana

East On Random betwⁿ Sec. 3 & 10, T15 N. R1 E.
 32.75 a Brook 100 yds. wide C. S. W.
 40.00 At the q. Sec. post temporary
 80.77 Intersected the N & S. line 149 yds. S. of the post
 Land rolling good for farming, timber Beech, Sugar,
 ash &c.

West On true line between Sec. 3 & 10, T15 N. R1 E.
 40.36 At q. Sec. post at av. dist. from which
 a Blue Ash 20 m. dia. bears North 31 yds. dist. &
 a Buckeye 10 " " " 169 E 27 " "
 80.77 to Sec. Corner.

North Between Sec. 3 & 4, T15 N. R1 E. 2^d. Mer.
 5.75 a Brook 100 yds. wide Course S. W.
 15.75 an Elm 10 m. dia. in the line
 30.56 a Brook 100 yds. wide C. S. E.
 34.50 a Do 100 " " " S. W.
 40.00 At the q. Sec. post, from which
 a Buckeye 12 m. dia. bears West 12 yds. dist. &
 a Hackberry 12 " " " 152 E 26 " "
 52.00 a Brook 100 yds. wide C. S. E.
 63.22 a Elm 14 m. dia. in the line
 75.90 a Brook 100 yds. wide C. S. W.
 78.30 Intersected the N. boundary 30 yds. W. of the post &
 At a post Cor. to Sec. 3 & 4, from which
 a W. Walnut 10 m. dia. bears N 12 W 26 yds. dist. &
 a Red bud 6 " " " 177 W 28 " "
 This mile level bottom, timber as above

North Between Sec. 32 & 33, T15 N. R1 E.
 18.14 a Hickory 24 m. dia. in the line
 40.00 At the q. Sec. post, from which

T15 N. R1 E. 2^d. Mer. Indiana

a Beech 13 m. dist. from N 7 E 11 lks. dist. of
 a Sugar 11 " " " S 17 W 27 " "
 68.95 a Wash 20 " " in the line
 80.00 Set a post cor. to Sec. 28, 29, 32 & 33, from which
 a Hickory 20 m. dist. from N 13 W 18 lks. dist. of
 a Do 20 " " " S 29 W 27 " "
 Good farming land, level, timber Beech, Sugar, Oak
 Ash &c. undergth Spruce & April 1st 1891

East On Random betwⁿ. Sec. 28 & 33, T15 N. R1 E.
 40.00 Set temp^t. of Sec. post
 80.27 Intersected the N & S. line 14⁵ lks. S. of the post
 Good level farming land, timber same as on last mile

West On true line between Sec. 28 & 33, T15 N. R1 E.
 40.14 Set of Sec. post, at a J. dist. on true line from which
 a W. Elm 24 m. dist. from N 13 E 26 lks. dist. of
 a Do — " " " S 87 E 22 " "
 80.27 to Sec. Cor.

North Between Sec. 28 & 29, T15 N. R1 E. 2^d. Mer.
 25.29 a Sugar 12 m. dist. in the line
 40.00 Set the of Sec. post, from which
 a Beech 12 m. dist. from N 47 W 32 lks. dist. of
 a Hickory 4 " " " S 89 E 9 " "
 57.14 a Beech 24 " " in the line
 80.00 Set a post, Cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 16 m. dist. from S 45 W 4 lks. dist. of
 a Do 28 " " " N 31 E 35 " "
 Level good farming land, timber Beech, Sugar
 Oak, Ash, undergth Spruce &c.

East On Random between Sec. 21 & 28, T15 N. R1 E.

T⁵N R1E 2^d Mer. Indiana

40.00 Set temp^y. q. Sec. post
 80.29 Intersected the N of S. line 148 lks. S. of the post.
 Land & rate, timber same as on the last mile

West On true line between Sec. 21 & 28, T⁵N R1E.
 40.14 1/2 q. Sec. post at av^y. dist. on true line from which
 a Bur Oak 4 m. dist. bears S 56 1/2 E 17 lks. dist. of
 a B. Ash — S 89 E 15 " "
 80.29 to Sec. Corner.

North Between Sec. 20 & 21, T⁵N R1E 2^d Mer.
 20.64 a Beech 24 m. dist. in the line
 40.00 Set the q. Sec. post, from which
 a W. Ash 18 m. dist. bears N 33 E 12 lks. dist. of
 a Lym 18 " " " S 35 E 19 " "
 58.33 a W. Ash 10 " " in the line
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a W. Ash 6 m. dist. bears N 41 E 11 lks. dist. of
 a Logow? 4 " " " N 46 W 12 " "
 Land level 2^d rate, timber Beech, Sugar, ash, Oak,
 undergth. Spice &c.

East On Random between Sec. 16 & 21, T⁵N R1E.
 40.00 Set temp^y. q. Sec. post
 41.43 a Brook 25 lks. wide C. S. E.
 53.15 a Brook 100 " " " S. E.
 80.30 Intersected the N of S. line 139 lks. S. of the post
 Land, timber &c. same as on the last mile

West On true line between Sec. 16 & 21, T⁵N R1E.
 40.15 Set q. Sec. post at av^y. dist. on true line, from which
 a Knackys 12 m. dist. bears N 29 E 15 lks. dist. of
 a Hackberry 12 " " " S 7 E 26 " "

T15 N. R1 E. 2^d Mer. Indiana80.30 to Section Corner. April 2^d. 1821North Between Secs. 16 & 17, T15 N. R1 E. 2^d Mer.

16.72 a W. Oak 36 m. diam. in the line

40.00 at the q^r. Sec. post, from which
a Sugar 8 m. diam. bran N10 E 16 lks. dist of
a Do 9 " " " N23 E 16 " "

43.50 a Brook 25 lks. wide Cr. S. E.

60.68 a Beech 6 m. diam. in the line

78.25 a Brook 25 lks. wide Cr. S. W.

80.00 at a post Cor. to Secs. 8, 9, 16 & 17, from which

a W. Walnut 4 m. diam. bran N23 E 30 lks. dist of

a Water Beech 8 " " " N16 E 25 " "

Land rolling & Broken Soil indifferent, timber
Beech, Sugar, Oak &c

East On Random between Secs. 9 & 16, T15 N. R1 E.

3.50 a Brook 25 lks. wide Cr. S. W.

40.00 at temp^y. q^r. Sec. post

80.34 Intersected the N & S. line 144 lks. S. of post

Land rolling 2^d rate, timber Beech, Sugar, Oak
Ash, undergrowth Spruce &c.

West On true line between Secs. 9 & 16, T15 N. R1 E.

40.17 at q^r. Sec. post at av^r. dist. on true line, from which
a Sugar 24 m. diam. bran N89 W 18 lks. dist of
a Beech 13 " " " S9 W 16 " "

80.34 to Sec. Corner

North Between Secs. 8 & 9, T15 N. R1 E. 2^d Mer.

6.29 a Brook 25 lks. wide Cr. S. E.

19.63 a W. Walnut 36 m. diam. in the line

40.00 at the q^r. Sec. post, from which

T⁵ N. R¹ E. 2^d. Mer. Indiana

a Beech 10 m. diam. bray N³³ E 14 lks. dist^d
 a Hickory 10 " " " S 4 W 16 " "
 61.02 an Elm 20 " " with the line
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 28 m. diam. bray S 76 W 16 lks. dist^d
 a Do 14 " " " N 24 E 26 " "
 Land 1¹/₂ mile part rolling 2^d. rate 2^d. / mile
 level 2^d. rate, timber Beech, Sugar, Oak, Ash &c.
 under growth Spruce &c.

East On Random between Sec. 4 & 9, T⁵ N. R¹ E.
 40.00 Set temp^y. of Sec. post
 78.00 a Brook 100 lks. wide C. S. E.
 80.30 Intersected the N & S. line 140 lks. S. of the post.
 Land level 2^d. rate, timber as before

West On true line between Sec. 4 & 9, T⁵ N. R¹ E.
 40.15 Set of Sec. post at av^y. distance, from which
 a Beech 10 m. diam. bray N³ W 11 lks. dist^d
 a Do 8 " " " S 20 E 18 " "
 80.30 to Sec. Cor.

North Between Sec. 4 & 5, T⁵ N. R¹ E. 2^d. Mer.
 19.74 a Beech 10 m. diam. with the line
 40.00 Set the of Sec. post, from which
 a Hickory 10 m. diam. bray N 62 E 23 lks. dist^d
 a Beech 10 " " " S 36 W 12 " "
 60.16 a Beech 8 " " with the line
 77.43 Intersected the N. boundary 89 lks. W. of the post.
 Set a post Cor. to Sec. 4 & 5, from which
 a Beech 10 m. diam. bray S 44 E 31 lks. dist^d
 a W. Ash 24 " " " S 74 W 32 " "
 Land level 2^d. rate, timber as before. April 6th. 1821

27

T15 N. R1 E. 2^d Mer. Indiana

North Between Secs. 31 & 32, T15 N. R1 E. 2^d Mer.

- 18.00 a Beech 18 in. diam. in the line
 40.00 Let the q. Sec. post, from which
 a B. Oak 48 in. diam. bears S 35° W 36 lks. dist. &
 a Beech 18 " " " N 31° E 44 " "
 55.15 a Hackberry 14 " " in. diam. in the line
 56.41 a Brook 100 lks. wide C. S. E.
 80.00 Let a post Cor. to Secs. 29 & 30, 31 & 32, from which
 a Blue Ash 18 in. diam. bears N 9° W 21 lks. dist. &
 a B. Walnut 24 " " " S 46° W 32 " "
 Land rich bottom, timber Walnut, B. & W. Ash,
 Sugar &c. runningth. Spruce &c.

East On Random between Secs. 29 & 32, T15 N. R1 E.

- 40.00 Let temp. q. Sec. post
 80.79 Intersected the N & S. line 156 lks. S. of the post.
 Land level quick, timber Beech, Sugar, Oak,
 Walnut &c. runningth. Spruce.

West On true line between Secs. 29 & 32, T15 N. R1 E.

- 40.39 Let q. Sec. post at av. dist. on true line, from which
 a Beech 12 in. diam. bears N 75° W 9 lks. dist. &
 a W. Oak 24 " " " S 55° W 13 " "
 80.79 to Sec. Cor.

West Between Secs. 30 & 31, T15 N. R1 E.

- 3.40 a Brook 20 lks. wide C. S. S.
 18.00 a Buckeye 18 in. diam. in the line
 37.38 a Brook 100 lks. wide C. S. E.
 40.00 Let the q. Sec. post, from which
 a Cottonwood 20 in. diam. bears S 52° W 24 lks. dist. &
 a Sycamore 12 " " " N 84° W 24 " "
 41.42 Intersected the 2^d Mer. 496 lks. N. of post. &

T15 N. R1 E. 2ⁿ. Mer. Indiana

Set a post Cor. to Sec. 30 & 31, from which
a Cottonwood 24 in. dia. brang N 29 E 12 lbs. dist
a B. Ash 4 " " " N 25 E 2 " "
Land level & rich, timber as before

North Between Sec. 29 & 30, T15 N. R1 E. 2ⁿ. Mer.

19.68 a Beech 18 in. dia. in the line
40.00 Set the q. Sec. post, from which
a Water Beech 10 in. dia. brang N 24 E 24 lbs. dist
a Blue Ash 18 " " " N 89 W 13 " "
59.04 a Walnut 12 " " in the line
80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
a W. Ash 18 in. dia. brang N 60 W 29 lbs. dist
a Beech 12 " " " N 2 E 13 " "
Good level farming land, timber Beech, Sugar, Oak,
Ash &c.

East On Random betw. Sec. 20 & 29, T15 N. R1 E.

40.00 Set trap p. q. Sec. post
80.70 Intersected the N & S. line 158 lbs. S. of the post.
Land level & good timber as before

West On true line between Sec. 20 & 29, T15 N. R1 E.

40.35 Set q. Sec. post at an J. dist. on true line, from which
a Beech 12 in. dia. brang N 29 W 21 lbs. dist
a Do 18 " " " N 24 E 10 " "
80.70 to Sec. Cor.

West Between Sec. 19 & 30, T15 N. R1 E. 2ⁿ. Mer.

19.24 a Walnut 12 in. dia. in the line
26.24 a Brook 20 lbs. wide C. S. E.
40.00 Set the q. Sec. post, from which
a Beech 12 in. dia. brang N 19 W 29 lbs. dist

T5 N. R1 E. 2^d. Mer. Indiana

29

a Beech 12 in. dia. brang N 4 E 18 lks. dist
41.82 Intersected the 2^d. Mer. 544 lks. S. of the post
Set a post Cor. to Sec. 19 & 20, from which
a Beech 8 in. dia. brang N 21 W 29 lks. dist
a Br. Oak 40 " " " " S 9 E 19 " "
Land level 2^d. rate, timber Beech, Sugar, Oak, Ash.

North Between Sec. 19 & 20, T5 N. R1 E. 2^d. Mer.
19.54 a W. Ash 18 in. dia. in the line
40.00 Set the q^r. Sec. post, from which
a Beech 11 in. dia. brang S 21 E 24 lks. dist
a Do 16 " " " " S 78 W 19 " "
60.84 a Beech 10 " " in the line
80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 18 in. dia. brang N 4 E 25 lks. dist
an Iron w^d 4 " " " " N 36 W 30 " "
Land level good 2^d. rate, timber Beech, Sugar, Oak,
Ash & c. makingth. Spice

East On Random between Sec. 17 & 20, T5 N. R1 E.
40.00 Set temp^y. q^r. Sec. post
80.74 Intersected the N & S. line 154 lks. S. of post
Land level 2^d. rate timber as before

West On true line between Sec. 17 & 20, T5 N. R1 E.
40.37 Set q^r. Sec. post at av^r. dist. on true line, from which
a Sugar 16 in. dia. brang N 79 E 32 lks. dist
a Beech 14 " " " " S 25 E 43 " "
80.74 to Sec. Corner. April 9th. 1821

West Between Sec. 18 & 19, T5 N. R1 E. 2^d. Mer.
22.53 a W. Oak 20 in. dia. in the line
40.00 Set the q^r. Sec. post from which

T15 N. R1 E. 2nd Mer. Indiana

a Beech 14 in. dia. bray N6 E 43¹/₂ lbs. dist. 6
 a do 12 " " " N38 W 3 " "
 41.87 Intersected the 2nd Mer. 687 lbs. S. of post of
 bet a post Cor. to Sec. 9, 18 & 19, from which
 a Beech 10 in. dia. bray N63 E 18 lbs. dist. 6
 a Sugar 6 " " " N11 E 6 " "
 Land, timber &c. Same as on the last mile

North Between Sec. 17 & 18, T15 N. R1 E. 2nd Mer.
 19.96 a Hickory 18 in. dia. in the line
 40.00 bet the q. Sec. post, from which
 a Beech 9 in. dia. bray N60 W 7 lbs. dist. 6
 a do 24 " " " N47 E 16 " "
 62.57 a Beech 15 " " in the line
 80.00 bet a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 4 in. dia. bray N88 W 7 lbs. dist. 6
 a P. Elm 4 " " " S80 E 10 " "
 Land level 2nd rate, timber Beech, Sugar, Oak, Ash
 undergrd, Spruce &c.

East On Random between Sec. 8 & 17, T15 N. R1 E.
 40.00 bet temp. q. Sec. post
 80.70 Intersected the N & S. line 154 lbs. S. of the post
 Land timber &c. Same as on the last mile

West On true line between Sec. 8 & 17, T15 N. R1 E.
 40.35 bet q. Sec. post at cor. dist. on true line, from which
 a Beech 12 in. dia. bray N61 W 32 lbs. dist. 6
 a do 10 " " " N74 E 23 " "
 80.70 to Sec. Cor.

West Between Sec. 7 & 18, T15 N. R1 E. 2nd Mer.
 28.46 a Beech 18 in. dia. in the line

T15 N. R1 E. 2^d. Mer. Indiana

40.00 Set the q. Sec. post, from which
 a W. Oak 20 m. dist. bears N43°W28 lbs. dist. of
 a Beech 11 " " " N7 E 11 " "
 42.20 Intersected the 2^d. Mer. 734 lbs. N. of the post
 Set a post Cor. to Sect. 7 & 18, from which
 a Sugar 12 m. dist. bears N33°W20 lbs. dist. of
 a Beech 10 " " " S3°W42 " "
 Sand timber &c. Same as on the last mile

North Between Sect. 7 & 8, T15 N. R1 E. 2^d. Mer.

26.65 a Sugar 10 m. dist. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 8 m. dist. bears N53°W30 lbs. dist. of
 a Sugar 12 " " " N77 E 20 " "
 57.00 a Beech 10 " " in the line
 80.00 Set a post Cor. to Sect. 5, 6, 7 & 8, from which
 a Sugar 14 m. dist. bears N63°W22 lbs. dist. of
 a Gum 10 " " " S27 E 23 " "
 Sand, timber &c. Same as on the last mile
 April 11th. 1821

East On Random between Sect. 5 & 8, T15 N. R1 E.

40.00 Set temp. q. Sec. post
 51.50 a Brook 25 lbs. wide cr. S.W.
 80.68 Intersected the cr. S. line 159 lbs. S. of post.
 Sand, timber &c. Same as on the last mile

West On true line between Sect. 5 & 8, T15 N. R1 E.

40.34 Set q. Sec. post at av. dist. on true line, from which
 a Sugar 16 m. dist. bears S86°W9 lbs. dist. of
 a Beech 14 " " " S73 E 30 " "
 80.68 to Section Corner.

T15 N. R1 E. 2^d. Mer. Indiana

West Between Secs. 6 & 7, T15 N. R1 W. 2^d. Mer.
 21.26 a P. Walnut 30 m. dist. in the line
 40.00 At the q. Sec. post, from which
 a Beech 12 m. dist. bears N 79 W 14 lks. dist. of
 an Ironw? 4 " " " S 78 E 20 " "
 42.40 Intersected the 2^d. Mer. 868 lks. N. of the post of
 Set a post Cor. to Secs. 6 & 7, from which
 a Sugar 12 m. dist. bears S 62 W 3 lks. dist. of
 a llo 12 " " " N 51 E 33 " "
 Sand timber etc. Same as on the last mile

North Between Secs. 5 & 6, T15 N. R1 E. 2^d. Mer.
 21.52 a Sugar 18 m. dist. in the line
 40.00 At the q. Sec. post, from which
 a Sugar 24 m. dist. bears N 10 W 30 lks. dist. of
 a Beech 9 " " " S 39 E 22 " "
 51.70 a Beech 18 m. dist. in the line
 59.18 a Brook 15 lks. wide C. S. E.
 78.20 Intersected the N. boundary 140 lks. N. of post of
 Set a post Cor. to Secs. 5 & 6, from which
 a Beech 10 m. dist. bears S 34 W 34 lks. dist. of
 a llo 20 " " " S 8 E 40 " "
 Sand as before. April 12th. 1821
 Surveyed by Stephen Collett, Dep. Sur.

I certify that the foregoing transcript of field notes
 of Township N. 15 N. of Range N. 1 E. 2^d. Mer. Ind.^a
 has been Comp.^d with the original notes in this office
 and found to be correct.

Surveyor General's Office
 Cincinnati, Dec. 28th. 1840

E. S. Leaning
 Sur. Genl.